

*Revised 7/16/13*

# Wetlands Bureau Decision Report

Decisions Taken  
07/01/2013 to 07/07/2013

## **DISCLAIMER:**

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

## **APPEAL:**

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 30 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to George "Chip" Kimball, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

## MAJOR IMPACT PROJECT

\*\*\*\*\*

2009-01301                      SZEMPLINSKI, JACK  
ALTON   Lake Winnepesaukee

### Requested Action:

Amend permit to re-locate the seasonal dock from the north side of the boathouse to the south side of the boathouse.

\*\*\*\*\*

### Conservation Commission/Staff Comments:

Con Com recommends deny application due to past violations and non compliance of lots

Inspection Date: 05/11/2010 by Jeffrey D Blecharczyk

Inspection Date: 09/24/2010 by Jeffrey D Blecharczyk

Inspection Date: 04/10/2013 by Jeffrey D Blecharczyk

### APPROVE AMENDMENT:

Amend permit to read: Install a 6 ft x 40 ft seasonal dock connected to a 7 ft x 6 ft concrete pad, excavate 888 sq ft of bank and shoreland, and dredge 30 cubic yards from 600 sq ft of lakebed to construct a dug-in, one slip, single story boathouse on an average of 184 ft of frontage on Lake Winnepesaukee, in Alton.

### With Conditions:

1. All work shall be in accordance with plans by Benchmark Engineering Inc revision dated May 20, 2013, as received by DES on May 28, 2013.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. The owner shall file a restrictive covenant in the appropriate registry of deeds limiting the use of the boathouse to the storage of boats and boating-related accessories. A copy of the recorded covenant permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
4. This permit shall not be valid until a Shoreland permit from the Department is approved for the impacts within the protected shoreland.
5. This permit shall not be valid until a restoration plan is approved and executed to address prior Shoreland impacts on the lot.
6. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau. This permit does not allow for additional wetland impacts on the lot.
7. The boathouse shall be a single-story structure; ridgeline not to exceed 15.2 ft in height (Elev. 519.5) above normal high water (Elev. 504.32).
8. The boathouse shall not exceed the elevation as allowed by the Town Of Alton zoning.
9. Dewatering of work areas and dredged materials shall be discharged to sediment basins located in uplands and lined with hay bales or other acceptable sediment trapping liner.
10. All dredged and excavated material and construction related debris shall be placed outside of the areas under the jurisdiction of the DES Wetlands Bureau.
11. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
12. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area and shall remain until suspended particles have settled and water at the work site has returned to normal clarity.
13. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
14. This facility is permitted with the condition that future maintenance dredging, if needed, shall not be permitted more frequently than once every 6 years, and that a new permit shall be required for each dredge activity.

15. The owner understands and accepts the risk that if this facility requires dredging to maintain a minimum slip depth of 3 feet, more frequently than once every 6 years, or is shown to have an adverse impact on abutting frontages, it shall be subject to removal.
16. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
17. The seasonal pier shall be removed from the lake for the non-boating season.
18. No portion of the pier shall extend more than 40 feet from the shoreline at full lake elevation.
19. The concrete pad shall be entirely located behind the natural undisturbed shoreline and above elevation 504.32.
20. All activities shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland after July 1, 2008.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(g), removal of more than 20 cubic yards of rock, gravel, sand, mud, or other material from public waters.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
5. In accordance with RSA 428-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of Lake Winnepesaukee, as identified under RSA 482-A:1.
6. The applicant has an average of 184 feet of shoreline frontage along Lake Winnepesaukee.
7. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
8. As amended, the proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13 and addresses one of the local Conservation Commissions concerns.
9. This permit is not valid until a restoration plan addressing the previous violations of RSA 483-b is approved by the Department and completed by the Applicant. This requirement addresses the local Conservation Commission concerns.

-Send to Governor and Executive Council-

**2013-00483                      NOTTINGHAM, TOWN OF**  
**NOTTINGHAM   Little River**

Requested Action:

Dredge and fill a total of 3,240 sq. ft. of wetland and surface waters for the removal of an existing triple-pipe 6 ft. x 4 ft. squashed corrugated metal pipe culvert and replace with 32 ft. x 4 ft. rigid frame bridge within the same general footprint under an existing roadway. Restore a total of 420 sq. ft. of bank and channel for removal of abutments from the old haul road and unauthorized placement of fill on the bank.

\*\*\*\*\*

Conservation Commission/Staff Comments:

1/16/13 No historic properties affected.

APPROVE PERMIT:

Dredge and fill a total of 3,240 sq. ft. of wetland and surface waters for the removal of an existing triple-pipe 6 ft. x 4 ft. squashed corrugated metal pipe culvert and replace with 32 ft. x 4 ft. rigid frame bridge within the same general footprint under an existing roadway. Restore a total of 420 sq. ft. of bank and channel for removal of abutments from the old haul road and unauthorized placement of fill on the bank.

With Conditions:

1. All work shall be in accordance with revised plans by CMA Engineers, Inc. dated May 30, 2013, as received by the NH Department of Environmental Services (DES) on June 5, 2013.
2. This permit is contingent upon receipt and DES approval of stream diversion/dewatering plan for the project.
3. Any temporary work areas shall be restored to original condition upon completion of work.
4. A NH certified wetlands scientist shall supervise restoration activities.
5. A NH certified wetland scientist shall inspect the restoration areas, and submit an initial monitoring report with photographs to DES within 30 days of the projected restoration completion date. The initial monitoring report shall include, but not be limited to, documentation of erosion control deployment, construction sequencing, restoration activities and status of restoration at time of initial monitoring report. Photographs should depict all stages of restoration sequencing.
6. The wetland jurisdictional restoration areas shall have at least 75% successful establishment of appropriate vegetation after two (2) growing seasons, or the area shall be replanted until it is established to the satisfaction of the DES Wetlands Bureau.
7. A subsequent monitoring report shall be submitted to the DES Wetlands Bureau describing and evaluating restoration success in the Fall of 2014 (due by December 1, 2014).
8. Monitoring reports shall be submitted to DES with photographs demonstrating the condition of the restoration sites, include any remedial actions, and contain a schedule for completing remedial actions.
9. Any further alteration of areas on these properties that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
10. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
11. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
14. Work shall be done during low flow.
15. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
16. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with haybales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 ft. of undisturbed vegetated buffer.

With Findings:

1. This is a major impact project per Administrative Rule 904.04 (a)(1), Tier 3 Stream Crossings, projects on a watercourse where a contributing watershed is 640 acres or greater. 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated that the existing culvert is deteriorated and needs to be replaced.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The proposed replacement culvert will be constructed within the same footprint and along the same alignment as the existing culvert.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project. Natural Heritage Bureau ("NHB") has record of a sensitive species within the vicinity of this project, but NHB does not expect impacts to the species.
5. The applicant's agent has designed the stream crossing in accordance with DES Tier 3 Stream Crossings pursuant to Env-Wt 904.04 and Env-Wt 904.05. The proposed design is a span structure, accommodates the 100-year frequency flood, and will simulate a natural stream with the installation of round river stone within the channel.
6. Pursuant to Env-Wt 904.04(f)(2), compensatory mitigation is not required for this project. The applicant has demonstrated that this replacement of a Tier 3 Stream Crossing met all applicable requirements when originally installed and meets the requirements of Env-Wt 904.08.
7. The applicant submitted plans stamped by a NH Licensed Professional Engineer.
8. DES has not received any comments in opposition to the project.

9. The Town of Nottingham has a right-of-way on property owned by Tasker and Christman to access the town's gravel pit. The applicant has submitted to DES a copy of written permission by the owners to conduct the proposed work.
10. Unauthorized dredging and filling of 250 sq. ft. bank immediately adjacent to the project on the Town of Nottingham property by an abutter will be restored to original condition.
11. The applicant will be restoring the stream channel at the outlet of the crossing by removing the old bridge abutments.
12. The Nottingham Conservation Commission did not submit comments on the application.
13. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the riverine resource, as identified under RSA 482-A:1.

**2013-00772                      SOUTH DOWN RECREATION ASSOCIATION**  
**LACONIA   Lake Winnepesaukee**

**Requested Action:**

Replace 99 cu. yd. of sand on 5,369 sq. ft. of existing perched beach and repair the drainage swale behind an existing wall on an average of 682 ft of frontage along Lake Winnepesaukee, in Laconia.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

Received Con Comm 4/5/2013 - checked off have investigated this application and would like to make the following recommendations - See Con Comm Report (JR)

4/10/13 Con. Com. recommends denial of permit. 4/15/13 Per DHR, no historic properties affected.

**APPROVE PERMIT:**

Replace 99 cu. yd. of sand on 5,369 sq. ft. of existing perched beach and repair the drainage swale behind an existing wall on an average of 682 ft of frontage along Lake Winnepesaukee, in Laconia.

**With Conditions:**

1. All work shall be in accordance with plans by New Hampshire Environmental Consultants revision dated April 07, 2013, as received by the NH Department of Environmental Services (DES) on April 09, 2013.
2. No more than 99 cu. yd. of sand may be used and all sand shall be located above the normal high water line.
3. This permit shall be used only once, and does not allow for annual beach replenishment.
4. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
5. Revegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 feet landward from the beach area.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

**With Findings:**

1. This is a major impact project per Administrative Rule Env-Wt 303.02(o), replenishment of a beach that exceeds the criteria for minimum impact and minor impact beach replenishment.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.

## MINOR IMPACT PROJECT

\*\*\*\*\*

2013-00757                      GESEK, JOHN  
DOVER   Bellamy River

### Requested Action:

Impact 600 sq. ft. previously developed upland tidal buffer zone to construct a concrete patio, a 2 ft. high concrete retaining wall, and install 7 ft. x 7 ft. x 4 ft. crushed stone drywell under the concrete patio with a 4 in. surface inlet.

\*\*\*\*\*

### APPROVE PERMIT:

Impact 600 sq. ft. previously developed upland tidal buffer zone to construct a concrete patio, a 2 ft. high concrete retaining wall, and install 7 ft. x 7 ft. x 4 ft. crushed stone drywell under the concrete patio with a 4 in. surface inlet.

### With Conditions:

1. All work shall be in accordance with revised plans by Bennett Holmes of Rye Beach Landscaping, LLC dated June 1, 2013, as received by the NH Department of Environmental Services (DES) on June 11, 2013.
2. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not 3. No more than 30.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering jurisdictional areas.
10. Faulty equipment shall be repaired prior to entering jurisdictional areas.
11. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

### With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(b), projects that involve work within 50 feet of a saltmarsh that do not meet the criteria of Env-Wt 303.02.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. All of the impacts occur landward of the highest observable tide line and within the previously developed upland tidal buffer zone. There will be no change in impervious surfaces on the lot and the applicant will be installing a drywell under the new patio to infiltrate surface water runoff from the project.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b)(d) Requirements for Application Evaluation, has been considered in the design of the project. The NH Natural Heritage Bureau ("NHB") has no record of sensitive species present within the vicinity of the project area. 5. The Dover Conservation Commission signed the expedited application and has no objection to permitting the proposed work.

**2013-01200                      CAMPBELL, ALEXANDER/SUSAN**  
**SANDWICH   Squam Lake**

**Requested Action:**

Install a 6 ft. x 40 ft. seasonal dock on a frontage with an existing 10 ft. x 20 ft. seasonal dock accessed by a 4 ft. x 32 ft. seasonal dock on an average of 418 feet of shoreline frontage along Squam Lake, in Sandwich.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

Con Com did not sign Wet application

**APPROVE PERMIT:**

Install a 6 ft. x 40 ft. seasonal dock on a frontage with an existing 10 ft. x 20 ft. seasonal dock accessed by a 4 ft. x 32 ft. seasonal dock on an average of 418 feet of shoreline frontage along Squam Lake, in Sandwich.

**With Conditions:**

1. All work shall be in accordance with plans by New Hampshire Environmental Consultants dated May 02, 2013, as received by the NH Department of Environmental Services (DES) on May 10, 2013.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. These shall be the only docking structures on this water frontage and all portions of the docks shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
4. Seasonal piers shall be removed from the lake for the non-boating season.
5. No portion of the new pier shall extend more than 40 feet from the shoreline at full lake elevation.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

**With Findings:**

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), construction of a docking system that will provide 4 slips.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 418 feet of shoreline frontage along Squam Lake.
6. A maximum of 6 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 4 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

**MINIMUM IMPACT PROJECT**

\*\*\*\*\*

**2012-03199                      WALKER, MICHELLE**  
**WOLFEBORO   Lake Winnepesaukee**

**Requested Action:**

Expand an existing perched beach to construct a 545 sq. ft. perched beach with less than 10 cubic yards of sand on Lake Winnepesaukee, Wolfeboro.

\*\*\*\*\*

Conservation Commission/Staff Comments:

No comments from Con Com by Dec 27, 2012

1/10/13 Con. Com has no objections.

APPROVE PERMIT:

Expand an existing perched beach to construct a 545 sq. ft. perched beach with less than 10 cubic yards of sand on Lake Winnepesaukee, Wolfeboro.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction revision dated January 11, 2013, as received by the NH Department of Environmental Services (DES).
2. Dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
3. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
4. The steps installed for access to the water shall be located completely landward of the normal high water line.
5. No more than 10 cu. yds. of sand may be used and all sand shall be located above the normal high water line.
6. This permit shall be used only once, and does not allow for annual beach replenishment.
7. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
8. Revegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 feet landward from the beach area.
9. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
10. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(d), construction of a perched beach.

2013-00689

DARTMOUTH COLLEGE REAL ESTATE OFFICE

WOODSTOCK

Requested Action:

Dredge and fill 975 square feet of wetlands for relocation of an existing access drive to the a lodge, the construction of new bunkhouses, and the relocation and improvement of a handicap accessible path.

\*\*\*\*\*

APPROVE PERMIT:

Dredge and fill 975 square feet of wetlands for relocation of an existing access drive to the a lodge, the construction of new bunkhouses, and the relocation and improvement of a handicap accessible path.

With Conditions:

1. All work shall be done in accordance with plans by Pathways Consulting, LLC. entitled Site Plan for Moosilauke Ravine Lodge (Sheets 2 and 3) as received by DES on June 14, 2013.
2. Work shall be done during periods of non-flow.
3. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain



- until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
  5. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.
  6. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
  7. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
  8. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
  9. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
  10. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
  11. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
  12. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a Minimum Impact Project per NH Administrative Rule Env-Wt 303.04 (f) Projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant; Env-Wt 303.04 (n) Any project not otherwise specified in this section that alters the course of or disturbs less than 50 linear feet, measured along the thread of the channel, of an intermittent nontidal stream channel or its banks provided construction is performed during periods of non-flow.
2. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.

2013-00741  
JACKSON

COUTURE, ARTHUR

Requested Action:

Dredge and fill 411 square feet of forested wetland, two intermittent streams and a perennial stream, for the construction of a driveway to access a single family residential lot. Work in jurisdiction includes the installation of a two 18 inch culverts and temporary impacts for the installation of an open span bridge.

\*\*\*\*\*

APPROVE PERMIT:

Dredge and fill 411 square feet of forested wetland, two intermittent streams and a perennial stream, for the construction of a driveway to access a single family residential lot. Work in jurisdiction includes the installation of a two 18 inch culverts and temporary impacts for the installation of an open span bridge.

With Conditions:

1. All work shall be done in accordance with plans by Ammonoosuc Survey Company, Inc. entitled Wetlands Impact Plan revised

6/14/13 as received by DES on June 17, 2013.

2. Work shall be done during periods of non-flow in the intermittent streams, and during periods of low-flow in the perennial stream.
3. Areas of temporary impact shall be restored to original conditions following the completion of work. The restored stream channel shall match the natural stream channel width and grade. Temporary impacts to the bank shall be revegetated, restored to their original grades, and restored to a stable condition within three days of completion of construction.
4. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate work area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
5. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. The culverts shall be laid at original grade.
8. Proper headwalls shall be constructed within seven days of culvert installation.
9. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.
10. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
11. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
13. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
14. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
15. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
16. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
17. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a Minimum Impact Project per NH Administrative Rule Env-Wt 303.04 (z) Installation of a stream crossing and associated fill to permit vehicular access to a piece of property for a single family building lot, for noncommercial recreational uses including conservation projects, or for normal agricultural operations.
2. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The use of the open span bridge is intended to maintain aquatic organism passage (brook trout).
6. The proposed bridge crossing and culverts were designed to safely pass the 50 year storm.
7. The conservation commission commented "we are not signing this permit and feel it needs further review by DES as a significant amount of the driveway work appears to have been completed."
8. In a letter dated June 14, 2013 the agent indicated that no work has been completed in the jurisdictional wetlands at the site. The agent further indicated that the Jackson Conservation Commission comment pertained to the potential need for an Alteration of Terrain Permit. An Alteration of Terrain Permit for the property was approved on June 17, 2013 (AOT-0583).
9. No further comments from the Conservation Commission have been received.

10. The NH Natural Heritage Bureau commented that although there was a NHB record present in the vicinity, they do not expect that it will be impacted by the proposed project.

**2013-01097                      NH DEPT OF TRANSPORTATION**  
**PLAINFIELD   Tributary To Connecticut River**

**Requested Action:**

Remove and reset 10 ft. of existing 36 in. culvert at the outlet temporarily impacting 90 sq. ft. of riverine wetland.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

Cons. Comm. - no comment

LAC no comment

**APPROVE PERMIT:**

Remove and reset 10 ft. of existing 36 in. culvert at the outlet temporarily impacting 90 sq. ft. of riverine wetland. NHDOT project 2013-M-212-15.

**With Conditions:**

1. All work shall be in accordance with plans by NHDOT Maintenance District 2 dated 8/14/12 as received by the Department on May 3, 2013.
2. Any dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
4. Construction equipment shall not be located within surface waters.
5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
6. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
7. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.
8. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
9. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
10. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
11. Proper headwalls shall be constructed within seven days of culvert installation.
12. Work shall be done during low flow.
13. No large white pines are to be removed without further evaluation and approval.

**With Findings:**

1. This project is deemed as a minimum impact per Administrative Rule Env-Wt 303.04(o) based on the degree of environmental impact all of which will be temporary.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application

Evaluation, has been considered in the design of the project.

5. The application includes information classifying the stream as R3SB3 and having an estimated drainage area of approximately 70 acres.
6. The project is within a designated river corridor which classifies this stream crossing as a Tier 3 per Rule Env-Wt 904.04(a)(2).
7. The Conservation Commission and the Local River Advisory Committee have not provided any comments.
8. The Natural Heritage Bureau has identified the location to be within the vicinity of state or federally endangered or threatened species and correspondence with NH Fish and Game Dept. has indicated impacts are not expected under the conditions indicated in the application or as required by this permit.

**2013-01107                      CFF CHILDRENS TRUST**  
**WOLFEBORO   Lake Winnepesaukee**

**Requested Action:**

Repair an existing 12 ft. x 30 ft. 5 in. crib dock connected to a 6 ft. x 28 ft. 9 in. piling dock by a 4 ft. x 12 ft. walkway in a "U" shaped configuration with 2 tie off piles, replace the existing 14 ft. x 28 ft. seasonal canopy with a 14 ft. x 30 ft. seasonal canopy and install a second 14 ft. x 30 ft. seasonal canopy in the eastern slip on an average of 156 ft. of shoreline frontage along Lake Winnepesaukee, in Wolfeboro.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

5/21/13 Con. Com. has no objections.

**APPROVE PERMIT:**

Repair an existing 12 ft. x 30 ft. 5 in. crib dock connected to a 6 ft. x 28 ft. 9 in. piling dock by a 4 ft. x 12 ft. walkway in a "U" shaped configuration with 2 tie off piles, replace the existing 14 ft. x 28 ft. seasonal canopy with a 14 ft. x 30 ft. seasonal canopy and install a second 14 ft. x 30 ft. seasonal canopy in the eastern slip on an average of 156 ft. of shoreline frontage along Lake Winnepesaukee, in Wolfeboro.

**With Conditions:**

1. All work shall be in accordance with plans by Watermark Marine Construction dated April 20, 2013, as received by the NH Department of Environmental Services (DES) on May 6, 2013.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The repairs shall maintain the size, location and configuration of the pre-existing structures.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
9. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.
10. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

**With Findings:**

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no

change in size, location or configuration.

## FORESTRY NOTIFICATION

\*\*\*\*\*

**2013-01244**                      **FLANDERS, BARDON/LINDA**  
**UNITY**   **Unnamed Stream**

COMPLETE NOTIFICATION:  
Unity, Tax Map #8, Lot #268

**2013-01654**                      **SMARTS MOUNTAIN REALTY LLC**  
**DORCHESTER**   **Unnamed Stream**

COMPLETE NOTIFICATION:  
Dorchester, Tax Map #9, Lot #701

**2013-01655**                      **VAN DYKE, ROBERT**  
**RINDGE**   **Unnamed Stream**

COMPLETE NOTIFICATION:  
Rindge, Tax Map #5, Lot #10 & 11

**2013-01742**                      **CLARK, WARREN**  
**MEREDITH**   **Unnamed Stream**

COMPLETE NOTIFICATION:  
Meredith, Tax Map #U34, Lot #22, 24, 25, 26

**2013-01744**                      **BRUNDAGE-CATER**  
**GRAFTON**   **Unnamed Stream**

COMPLETE NOTIFICATION:  
Grafton, Tax Map #6, Lot #1058-1, 1059

**2013-01754**                      **MIDDLE HANCOCK LLC**  
**PETERBOROUGH**   **Unnamed Stream**

COMPLETE NOTIFICATION:  
Peterborough, Tax Map #R9, Lot #7, Block #1

**2013-01773                      DAVIS, JOAN**  
**CONCORD   Unnamed Stream**

COMPLETE NOTIFICATION:  
Concord, Tax Map #100, Lot #7, Block #1

**2013-01774                      WALSH, WILLIAM**  
**BRIDGEWATER   Unnamed Stream**

COMPLETE NOTIFICATION:  
Bridgewater, Tax Map #208, Lot #5

**2013-01776                      FADDEN, TOM**  
**MILTON   Unnamed Stream**

COMPLETE NOTIFICATION:  
Milton, Tax Map #4, Lot #7

**2013-01781                      JOHNSON, CHRISTINE**  
**WARREN   Unnamed Stream**

COMPLETE NOTIFICATION:  
Warren, Tax Map #204, Lot #5

#### **EXPEDITED MINIMUM**

\*\*\*\*\*

**2013-01077                      PETRO, JOSEPH/LISA**  
**MOULTONBOROUGH   Lake Winnepesaukee**

**Requested Action:**

Construct a 578 sq. ft. perched beach with less than 10 cubic yards of sand and 5 ft. wide access steps, on Lake Winnepesaukee, Moultonborough.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

Con Com signted Wet appliction

**APPROVE PERMIT:**

Construct a 578 sq. ft. perched beach with less than 10 cubic yards of sand and 5 ft. wide access steps, on Lake Winnepesaukee, Moultonborough.

**With Conditions:**

1. All work shall be in accordance with plans by New Hampshire Environmental Consultants revision dated May 31, 2013, as received by the NH Department of Environmental Services (DES) on June 03, 2013.

2. Dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
3. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
4. The steps installed for access to the water shall be located completely landward of the normal high water line.
5. No more than 10 cu. yds. of sand may be used and all sand shall be located above the normal high water line.
6. This permit shall be used only once, and does not allow for annual beach replenishment.
7. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
8. Revegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 feet landward from the beach area.
9. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
10. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(d), construction of a beach with less than 10 cubic yards of sand.

**2013-01364                      AIKMAN, MARIAN**  
**ROLLINSFORD Sligo Brook**

Requested Action:

Restore aquatic habitat and fluvial geomorphic processes along 2,900 linear feet of Sligo Brook by cutting trees/wood into the brook impacting approximately 19,200 square feet of the brook.

\*\*\*\*\*

APPROVE PERMIT:

Restore aquatic habitat and fluvial geomorphic processes along 2,900 linear feet of Sligo Brook by cutting trees/wood into the brook impacting approximately 19,200 square feet of the brook.

With Conditions:

1. All work shall be in accordance with plans and narrative by Marian Aikman and Natural Resource Conservation Service as received by the Department on June 12, 2013.
2. Work shall be done during low flow.
3. Only hand tools shall be used.
4. No trees that are stabilizing banks or slopes shall be cut.
5. No gravel fill shall be used within DES jurisdiction without further permitting or authorization from DES.
6. All in-stream work shall be conducted in a manner to minimize turbidity and sedimentation to surface waters and shall be conducted in a manner so as to minimize the duration of construction in the watercourse.
7. If applicable, appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
8. A post-construction report with photographs documenting the status of the completed project shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.
9. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

With Findings:

1. This is a Minimum Impact Project per NH Administrative Rule Env-Wt 303.04(t), as the project proposes to restore degraded

aquatic resources that benefit native brook trout, influence spawning potential, pool riffle runs, stream cover, and encourage genetic diversity.

2. This restoration project is receiving financial support and direct supervision from the US Natural Resources Conservation Service.
3. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
5. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. The NH Natural Heritage Bureau (NHB) has record of a sensitive specie present within the vicinity of the project, but NHB does not expect impacts to the species.
6. The Rollinsford Conservation Commission signed the application waiving their right to intervene pursuant to RSA 482-A:11.

#### **GOLD DREDGE**

\*\*\*\*\*

**2013-01758                      HELLER, THOMAS**  
**(ALL TOWNS) Unnamed Stream**

Conservation Commission/Staff Comments:  
cc Bath ConCom

#### **LAKES-SEASONAL DOCK NOTIF**

\*\*\*\*\*

**2013-01732                      BOUTILIER, COREY**  
**NORTHFIELD Sandogardy**

Requested Action:  
Installation of a seasonal docking structure.  
\*\*\*\*\*

COMPLETE NOTIFICATION:  
Installation of a seasonal docking structure.

**2013-01734                      SERHANT, JOHN**  
**DUBLIN Dublin Pond**

Requested Action:  
Installation of a seasonal dock.  
\*\*\*\*\*

COMPLETE NOTIFICATION:  
Installation of a seasonal dock.



**2013-01740                      AMMERMAN, ROBERT/JILL**  
**CONWAY   Conway Lake**

Requested Action:

Installation of a seasonal docking structure.

\*\*\*\*\*

COMPLETE NOTIFICATION:

Installation of a seasonal docking structure.

**2013-01746                      TOWNSEND, RECHELLE**  
**LACONIA   Opechee Bay**

Requested Action:

Disqualify seasonal dock, applicant does not own frontage on waterbody.

\*\*\*\*\*

DISQUALIFY TRAIL/FORESTRY/DOCK NOTIFICTN:

Disqualify seasonal dock, applicant does not own frontage on waterbody.

With Findings:

Disqualify seasonal dock, applicant does not own frontage on waterbody.

**ROADWAY MAINTENANCE NOTIF**

\*\*\*\*\*

**2013-01761                      NH DEPT OF TRANSPORTATION**  
**WENTWORTHS LOCATION   Unnamed Stream**

COMPLETE NOTIFICATION:

Two 15" culvert replacements with 5' extension.

**2013-01762                      NH DEPT OF TRANSPORTATION**  
**ERROL   Unnamed Stream**

COMPLETE NOTIFICATION:

Two 15" culvert replacements with 5' extension.

**PERMIT BY NOTIFICATION**

\*\*\*\*\*

**2013-01455**  
**AUBURN**

**EJS TRUST**

**Requested Action:**

Temporarily impact 80 square feet of man-made intermittent stream for the replacement of an existing 12-inch by 21-foot RCP culvert with a 12-inch by 20-foot CPP culvert for access to a single family residential lot of 3.27 acres.

\*\*\*\*\*

**PBN IS COMPLETE:**

Temporarily impact 80 square feet of man-made intermittent stream for the replacement of an existing 12-inch by 21-foot RCP culvert with a 12-inch by 20-foot CPP culvert for access to a single family residential lot of 3.27 acres.

**With Findings:**

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(z) Installation of a stream crossing and associated fill to permit vehicular access to a piece of property for a single family building lot, for noncommercial recreational uses including conservation projects, or for normal agricultural operations.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2013-01533**

**LEPO TTEES, ALAN/MARGARET**

**MEREDITH Waukewan Lake**

**Requested Action:**

Replenish and existing beach with no more than 10 cubic yards of sand.

\*\*\*\*\*

**PBN IS COMPLETE:**

Replenish and existing beach with no more than 10 cubic yards of sand.

**2013-01575**

**WINDJAMMER REALTY TRUST, CHARLIE KELLAR**

**MEREDITH Lake Winnepesaukee**

**Requested Action:**

Repair of existing docking structures with no change in size, location or configuration.

\*\*\*\*\*

**PBN IS COMPLETE:**

Repair of existing docking structures with no change in size, location or configuration.

**With Findings:**

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

**2013-01576**

**OSULLIVAN, ROBERT**

**MEREDITH Lake Winnepesaukee**

Requested Action:

Install a 6 ft. x 40 ft. seasonal dock and 6 ft. x 4 ft. concrete pad.

\*\*\*\*\*

PBN IS COMPLETE:

Install a 6 ft. x 40 ft. seasonal dock and 6 ft. x 4 ft. concrete pad.

2013-01578

LAI, ELMER/PHILIP

NOTTINGHAM Pawtuckaway Pond

Requested Action:

Repair existing docking structure and replenish beach with less than 10 cubic yards of sand.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Con Com did not sign PBN form

PBN IS COMPLETE:

Repair existing docking structure and replenish beach with less than 10 cubic yards of sand.

CSPA PERMIT

\*\*\*\*\*

2013-01664

ONEIL, KENNETH/MARGARET

MEREDITH Lake Winnepesaukee

Requested Action:

Impact 2,590 sq ft in order to install an individual subsurface sewage disposal system and associated components and extend an existing culvert.

\*\*\*\*\*

APPROVE PERMIT:

Impact 2,590 sq ft in order to install an individual subsurface sewage disposal system and associated components and extend an existing culvert.

With Conditions:

1. All work shall be in accordance with plans by David m. Dolan Associates, P.C. dated June 19, 2013 and received by the NH Department of Environmental Services (DES) on June 24, 2013.
2. All actions associated with the installation of the proposed septic system are contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 26.08% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 3,324 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.

6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.

#### UTILITY NOTIFICATION

\*\*\*\*\*

**2013-01784                      LIBERTY ENERGY UTILITES**  
**BATH   Unnamed Wetland**

COMPLETE NOTIFICATION:  
Equipment repair and maintenance.